

































5





6





7


















	Art. Nr.	H Standard	T1 min	T2 min
 O DN 100	9 300 300	1150 (1120 - 1350)	160	210
	9 300 303			
	9 300 309			
	9 300 344			
	9 300 100 (...)			
 O DN 50	9 300 322	980 - 1080	160	210
	9 300 301	820 - 920	160	210
	9 041 306	970 - 1350	160	210
	9 310 000	1150 (1120 - 1350)	140 (115)	210
	9 310 004			
 O DN 50	9 020 033	820 - 1350	140 (115)	210
	9 020 018			
	9 020 034			
	9 320 002			
	9 320 000	1150 (1120 - 1350)	140 (115)	170
 O DN 50	9 320 001			
	9 020 017			
 O DN 50	9 330 000	1150 (1120 - 1350)	140 (115)	210




PR 230 414 00 a





Service A5

Standardspülmenge: 6 Liter
Standard flush: 6 litre
Réservoir standard: 6 litres
Settaggio di fabbrica: 6 litro
Standaard spoelwater: 6 liter
Descarga estándar: 6 litros
Spłukiwanie standardowe: 6 litrów
Стандартный смыв: 6 литров

9820 353



9 820 394 – Drosselset / Throttle set / Jeu de bague de réglage de débit / Set di riduzione pressione / Set de estrangulamiento / Zestaw dławika / Комплект ограничительных



* Spüldruck / Flushing pressure / Pression de chasse / Pressione di scario / Presión de descarga / ciśnienie spłukiwania / колец давление промывки

Spülung ohne WC-Keramik / Flushing without WC ceramics / Chasse sans cuvette WC / Scarico senza ceramica WC / Spoelen zonder wc-keramiek / Descarga sin cerámica-WC / Spłukiwanie bez ceramiki WC / Смыв без унитаза

